

Date: Monday, 2/19/2007 8:07:48 AM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services Drawing Name : WEARSHOE
 Job Number : 30752
 Estimate Number : 12729
 P.O. Number : N/A
 This Issue : 2/19/2007 S.O. No. : N/A
 Prsht Rev. : NC
 First Issue : N/A Type : SMALL /MED FAB
 Previous Run : N/A
 Written By : [Signature]
 Checked & Approved By : [Signature] 07.02.19
 Comment : Est Rev: A New Issue 07-02-15 JLM

Part Number : D353539
 Drawing Number : D3535 UNDER REVIEW Rev A RH 07.02.19
 Project Number : N/A
 Drawing Revision : U/R
 Material : N/A
 Due Date : 2/26/2007 Qty: 12 Um: Each

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 M304S20GA 304/316 .040 Sheet



Comment: Qty.: 0.9986 sf(s)/Unit Total : 11.9826 sf(s)

304/316 .040 Sheet

(M304S20GA)

Batch: M101873

SAD 07/02/25

2.0 WATER JET FLOW WATER JET



Comment: FLOW WATER JET

1-Cut as per Dwg D3535

Dwg Rev: A

Prog Rev: A

SAD 07/02/25

2-Deburr if necessary

3.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SAD 07/02/25

4.0 QC8 SECOND CHECK



Comment: SECOND CHECK

SAD 07.02.25

5.0 BRAKE NC NC BRAKE



Comment: NC BRAKE

Deburr if necessary

Form on Brake as per Dwg D3535 using Jigs DT8261 and DT8326.

Identify as D3535-41

Form Joggle on brake using Jig DT8158 as per Dwg D3535

SAD MF 07-03-06

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: ☒ Date: 07/03/08

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 2/19/2007 8:07:49 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEARSHOE

Job Number: 30752

Part Number: D353539

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

07/03/07 (12)

7.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

HS | M-A 07-03-07 (12)

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT

R.M 07/03/07 (12)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: FP

HS 07-03-08 (12)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

07/03/08

Job Completion



U 07-03-08

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


DART

RELEASED
07.02.12

DESIGN	CB	DRAWN BY	CB	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	DRAWING NO.	D3535	REV. A
		TITLE	WEARSHOE	SHEET 1 OF 7
A	06.10.25	NEW ISSUE		SCALE 1:10




D3535-11F FLAT PATTERN




D3535-11 BEND DETAIL

NO. 30752
WORK ORDER
SUBJECT TO AMENDMENT
WITHOUT NOTICE
UNCONTROLLED COPY
ENGINEERING
RETURN TO
SHOP COPY



D3535-13F FLAT PATTERN



D3535-13 BEND DETAIL

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE (0.038 THICK, REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION





THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Copyright © 2006 by DART AEROSPACE USA, INC.



DESIGN	C.B.	DRAWN BY	C.B.	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	DRAWING NO.	D3535	REV. A
		TITLE	WEARSHOE	SHEET 2 OF 7
				SCALE 1:10

07.02.12
#



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 20752



- NOTES**
- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE (0.038 THICK, REF DART SPEC M304S20GA)
 - 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
 - 3) PART IS SYMMETRICAL ABOUT ϕ
 - 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 5) ALL DIMENSIONS ARE IN INCHES
 - 6) BREAK ALL SHARP EDGES TO 0.010 MAX
 - 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
 - 8) SEE PAGE 7 FOR DETAILS AND SECTION

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Copyright © 2006 by DART AEROSPACE USA, INC.

DART

DESIGN CB	DRAWN BY CB	DART AEROSPACE USA, INC. PORT HADLOCK, WA	REV. A
CHECKED PH	APPROVED PH	DRAWING NO. D3535	SHEET 3 OF 7
DATE 06.10.25	TITLE WEARSHOE	SCALE 1:10	

**D3535-23F FLAT PATTERN****D3535-23 BEND DETAIL****D3535-25F FLAT PATTERN****D3535-25 BEND DETAIL****NOTES**





- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE (0.038 THICK, REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

SHOP COPY
RETURN TO
ENGINEERING
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **30752**

DART

DESIGN CB	DRAWN BY CB	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3535	REV. A
DATE 06.10.25	TITLE WEARSHOE	SHEET 4 OF 7	SCALE 1:10

07.02.12 *CH*



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER
NO. *30752*


NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE (0.038 THICK, REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DART

DESIGN CB	DRAWN BY CB	DART AEROSPACE USA, INC. PORT HADLOCK, WA	REV. A
CHECKED <i>PH</i>	APPROVED <i>PH</i>	DRAWING NO. D3535	SHEET 5 OF 7
DATE 06.10.25	TITLE WEARSHOE	SCALE 1:10	

070212 *CH*



D3535-35F FLAT PATTERN




D3535-35 BEND DETAIL

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. *30752*

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE (0.038 THICK, REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



D3535-37F FLAT PATTERN




D3535-37 BEND DETAIL


DART

DESIGN CB	DRAWN BY CB	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED AM	APPROVED AM	DRAWING NO. D3535	REV. A
DATE 06.10.25	TITLE WEARSHOE	SHEET 6 OF 7	SCALE 1:10


07.02.12




D3535-39F FLAT PATTERN



D3535-39 BEND DETAIL



D3535-41F FLAT PATTERN



D3535-41 BEND DETAIL

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE (0.038 THICK, REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER
30752




DESIGN CB	DRAWN BY CB	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3535	REV. A SHEET 7 OF 7
DATE 06.10.25	TITLE WEARSHOE		SCALE 1:1


RELEASED
07.02.12 *[Signature]*



DETAIL B



DETAIL A



SECTION C-C

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30752

Copyright © 2006 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

DART AEROSPACE LTD		Work Order: 30752
Description:		Part Number: D8535-39
Inspection Dwg:	Rev:	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☒ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
4.750	± 0.010	4.744	✓		Vern	
9.500	± 0.010	9.500	✓		Vern	
14.250	± 0.010	14.250	✓		M-T	
17.750	± 0.010	17.750	✓		M-T	
19.250	± 0.010	19.790	✓		M-T	
23.250	± 0.010	23.250	✓		M-T	
25.775	± 0.010	25.775	✓		M-T	
29.275	± 0.010	29.275	✓		M-T	
32.775	± 0.010	32.775	✓		M-T	
36.815	± 0.010	36.806	✓		M-T / Vern	
2.000	± 0.010	2.000	✓		Vertical Vern	
5.00	± 0.030	5.000	✓		Vern	
9.00	± 0.030	9.000	✓		Vertical Vern	
28.00	± 0.030	28.00	✓		M-T	
1.885	± 0.010	1.888	✓		Vern	
0.188	± 0.005	0.191	✓		Vern	
0.300	± 0.010	0.297	✓		Vern	
0.300	± 0.010	0.295	✓		Vern	
0.038	± 0.010	0.035	✓		Vern	

Measured by: JAV	Audited by: [Signature]	Prototype Approval:		
Date: 07/02/25	Date: 07-02-25	Date:		
Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	